ELSEVIER

Volumes 323–324, 12 July 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Preface 1
R. Sáez-Puche, A. de Andrés (Madrid, Spain), J.-C.G. Bünzli (Lausanne, Switzerland)

Awards 1
J.-C.G. Bünzli (Lausanne, Switzerland)

Synthesis, Structure and Defects

Formation and structure of highly over-stoichiometric $LaNi_{5+x}$ (x~1) alloys obtained by manifold non-equilibrium methods . . 4
F. Cuevas, M. Latroche (Cedex, France), M. Hirscher (Stuttgart, Germany) and A. Percheron-Guégan (Cedex, France)

Preparation, X-ray analysis and spectroscopic investigation of nanostructured Lu_2O_3:Tb 8
E. Zych, P.J. Dereń, W. Stręk (Wrocław, Poland), A. Meijerink (Utrecht, The Netherlands), W. Mielcarek and K. Domagala (Wrocław, Poland)

Hydrated lanthanides picrate complexes with *cis*-1,3-dithiane-1,3-dioxide (*cis*-$DTSO_2$). Structure of the Ho compound 13
P. Miranda Jr. (São Paulo, Brazil), J. Zukerman-Schpector (São Paulo and São Carlos, Brazil), P.C. Isolani, G. Vicentini and L.B. Zinner (São Paulo, Brazil)

Uranyl nitrate complexes with lactams 18
A.R. de Aquino, P.C. Isolani (São Paulo, Brazil), J. Zukerman-Schpector (São Carlos, Brazil), L.B. Zinner and G. Vicentini (São Paulo, Brazil)

Complexes of lanthanide picrates with 1,4-pyrazine-dioxide 22
M.C.C. Cardoso (Natal, Brazil), L.B. Zinner (Natal and São Paulo, Brazil), J. Zukerman-Schpector (São Carlos, Brazil), D.M. Araújo Melo (Natal, Brazil) and G. Vicentini (Natal and São Paulo, Brazil)

Holmium polysulfides: crystal growth, structure and properties 26
S.V. Belaya, I.G. Vasilyeva, N.V. Pervukhina, N.V. Podberezskaya and A.P. Eliseev (Novosibirsk, Russia)

Chemical inhomogeneity in materials with f-elements: observation and interpretation 34
I.G. Vasilyeva (Novosibirsk, Russia)

Structure and properties of hydrated La(III), Nd(III) and Er(III) methanesulfonates 39
E.M. Aricó, L.B. Zinner (São Paulo, Brazil), B. Kanellakopulos, E. Dornberger, J. Rebizante and C. Apostolidis (Karlsruhe, Germany)

Rare-earth and tungsten oxynitrides with a defect fluorite-type structure as new pigments 45
N. Diot, O. Larcher, R. Marchand (Rennes, France), J.Y. Kempf and P. Macaudière (Aubervilliers, France)

Determination of trace amounts of rare earth elements in highly pure praseodymium oxide by double focusing inductively coupled plasma mass spectrometry and high-performance liquid chromatography 49
W.R. Pedreira, J.E.S. Sarkis, C. Rodrigues, I.A. Tomiyoshi, C.A. da Silva Queiroz and A. Abrão (São Paulo, Brazil)

Preparation of highly pure thorium nitrate via thorium sulfate and thorium peroxide 53
A. Abrão, A.A. de Freitas and F.M.S. de Carvalho (São Paulo, Brazil)

Synthesis and crystal structure of $Nd_3Ti_3O_8Se_2$ 57
H. Person and W. Urland (Hannover, Germany)

Chemistry of lanthanide–metal carbonyl systems: the ytterbium–chromium carbonyls interaction 61
M.D. Grillone, M. Addamo and M. Volpe (Palermo, Italy)

Stabilization of the γ-Ce_2S_3 phase 66
J.C. Trombe and M. Verelst (Toulouse, France)

Low cost rare earth elements deposition method for enhancing the oxidation resistance at high temperature of Cr_2O_3 and Al_2O_3 forming alloys 70
A. Paúl, S. Elmrabet and J.A. Odriozola (Sevilla, Spain)

Elsevier Science B.V.

Synthesis and properties of Lu_2O_3 sol–gel films 74
A. García-Murillo, C. Le Luyer, C. Pedrini and J. Mugnier (Villeurbanne, France)

Y–Fe–Al ternary system: partial isothermal section at 1070 K. Powder X-ray diffraction and Mössbauer spectroscopy study . . 78
J.C. Waerenborgh (Sacavém, Portugal), P. Salamakha (Sacavém, Portugal and Ibaraki, Japan), O. Sologub (Sacavém, Portugal and Higashi–Hiroshima, Japan), S. Sério, M. Godinho (Lisbon, Portugal), A.P. Gonçalves and M. Almeida (Sacavém, Portugal)

Studies on triple orthovanadates. VIII. Synthesis and spectrostructural characterization of triple orthovanadates $BaLnTh(VO_4)_3$ (Ln=La or Pr) and $BaLnCe(VO_4)_3$ (Ln=La, Pr, Nd or Sm) 83
M.A. Nabar and B.G. Mhatre (Mumbai, India)

Transmission electron microscopy study of $Y_{1-x}\square_xCr_2S_4$, x~1/3 phase 86
A. Gómez-Herrero, A.R. Landa-Cánovas (Madrid, Spain), A.W.S. Johnson (Perth, Australia) and L.C. Otero-Díaz (Madrid, Spain)

Crystal structure and microstructure of δ-Er_2S_3 91
A.R. Landa-Cánovas, U. Amador and L.C. Otero-Díaz (Madrid, Spain)

Hydrogen production from methane and water by lattice oxygen transfer with $Ce_{0.70}Zr_{0.25}Tb_{0.05}O_{2-\delta}$ 97
Z.C. Kang and L. Eyring (Tempe, AZ, USA)

Local structure around Fe and Cu ions in $PrBaFeCuO_{5-\delta}$ 102
R. Castañer (Elche, Spain), C. Prieto (Madrid, Spain), R. Ramírez (Leganes, Spain), F. Mompean, J.L. Martínez, M.J. Ruíz-Aragón and U. Amador (Madrid, Spain)

Gd thin films: relationship between elastic properties and microstructure 107
J. Rubio-Zuazo, M. Vila, A. Muñoz-Martín, A. de Bernabé and C. Prieto (Madrid, Spain)

The defect structure of $CaF_2:U^{3+}$ 111
J.A. Campbell (Christchurch, New Zealand), J.-P. Laval (Limoges, France), M.-T. Fernandez-Diaz (Grenoble, France) and M. Foster (Christchurch, New Zealand)

Structural and magnetic characterization of zircon-type $PrCrO_4$ oxide 115
E. Jiménez, J. Isasi and R. Sáez-Puche (Madrid, Spain)

Coordination and Organometallic Chemistry

Sm(III) complexation with α-amino acids. X-ray crystal structure of $[Sm_2(Hala)_4(H_2O)_8](ClO_4)_4(Cl)_2$ 119
J. Torres, C. Kremer, E. Kremer, H. Pardo, L. Suescun, Á. Mombru (Montevideo, Uruguay), S. Domínguez and A. Mederos (Tenerife, Canary Islands, Spain)

Luminescence lifetime of lanthanide(III) ions in aqueous solution containing azide ion 125
S. Lis (Poznań, Poland), T. Kimura and Z. Yoshida (Ibaraki, Japan)

Solution properties of trivalent lanthanide trinuclear complexes with ligand 1,3,5-triamino-1,3,5-trideoxy-*cis*-inositol 128
D. Chapon, C. Husson, P. Delangle, C. Lebrun and P.J.A. Vottéro (Grenoble, France)

'Conjugate strategy' of lanthanide porphyrinate with crown ether toward synergistic binding and chirality sensing of biological substrates 133
H. Tsukube, M. Wada, S. Shinoda (Osaka, Japan) and H. Tamiaki (Shiga, Japan)

New Pr and Nd complexes containing TCNQ radicals 138
L. Ballester, C. Alonso (Madrid, Spain), M. Fonari (Kishinev, Moldavia), A. Gutiérrez (Madrid, Spain), M. Mitewa (Sofia, Bulgaria), M.F. Perpiñán (Madrid, Spain) and K. Suwinska (Warsaw, Poland)

Crystal structure of lanthanum(III) butyrate monohydrate 142
L. Jongen (Leuven, Belgium), G. Meyer (Köln, Germany) and K. Binnemans (Leuven, Belgium)

FT-ICR studies of polypyrazolyl-1-yl borates of europium(II) adducts 147
A. Pires de Matos (Sacavém, Portugal), M.A. Freitas (Columbus, OH, USA), A.G. Marshall (Tallahassee, FL, USA), N. Marques, A. Carvalho (Sacavém, Portugal), P.C. Isolani and G. Vicentini (São Paulo, Brazil)

f–f Transition intensities of europium(III) acetate complexes in a single crystal and in solution 150
K. Bukietyńska and A. Mondry (Wroclaw, Poland)

Lanthanide(III) perchlorate complexes of two 24 membered N_3O_4-donor macrocycles 155
E. Bértolo, R. Bastida (Santiago de Compostela, Spain), D.E. Fenton (Sheffield, UK), C. Lodeiro, A. Macías and A. Rodríguez (Santiago de Compostela, Spain)

Synthesis and structure of bis(triethanolamine)europium(II) diperchlorate 159
P. Starynowicz (Wroclaw, Poland)

Luminescence study on preferential solvation of Europium(III) in water/non-aqueous solvent mixtures 164
T. Kimura, R. Nagaishi, Y. Kato and Z. Yoshida (Ibaraki, Japan)

Synthesis and characterization of polynuclear lanthanide aryloxides 169
J. Carretas, J. Branco, J. Marçalo (Sacavém, Portugal), P. Isolani (São Paulo, Brazil), A. Domingos and A. Pires de Matos (Sacavém, Portugal)

New supramolecular dinuclear Schiff base complexes of yttrium and lanthanides 173
W. Radecka-Paryzek, M. Kaczmarek, V. Patroniak and I. Pospieszna-Markiewicz (Poznan, Poland)

Structure and emission spectrum of the *o*-phenanthroline adduct of *tris*(6-methyl-2,4-heptanedionato)europium(III) 177
L.C. Thompson and S. Berry (Duluth, MN, USA)

Structural characterization of $[Ln(TFA)_3(HMPA)_3]$ (Ln=La, Nd, Er) complexes 181
G. Bombieri (Milano, Italy), F. Benetollo (Padova, Italy), A. Del Pra (Milano, Italy), V. da Silva Oliveira, D.M. Araujo Melo, L.B. Zinner (Natal, Brazil) and G. Vicentini (São Paulo, Brazil)

Effect of the solvent and different crystal packing on the europium podand complex: tris(2-hydroxy-3-methoxybenzyl)amino) ethylamine) tris(nitrato) europium(III) 185
F. Benetollo (Padova, Italy), G. Bombieri (Milano, Italy), G. Depaoli (Padova, Italy), V. Ferretti (Ferrara, Italy) and M.R. Truter (London, UK)

Europium(III)–asparagine complexation in aqueous methanol 190
H.B. Silber, T. Chang and E. Mendoza (San Jose, CA, USA)

A new bidimensional material: $Ln_2(CO_3)_3.8\ H_2O$ (Ln=La, Ce). Synthesis and crystal structure 193
C. Daiguebonne, O. Guillou, C. Baux, F. Le Dret (Rennes, France) and K. Boubekeur (Nantes, France)

Synthesis, crystal structure of a new tridimensional family of materials: $LnCHA(H_2O)_2{\cdot}2.5H_2O$ (Ln=Dy–Yb) 199
C. Daiguebonne, O. Guillou, Y. Gérault (Rennes, France) and K. Boubekeur (Nantes, France)

Optical Materials

Self-frequency-sum mixing in Nd doped nonlinear crystals for laser generation in the three fundamental colours. The NYAB case 204
D. Jaque (Madrid, Spain)

Overview of the best Yb^{3+}-doped laser crystals 210
A. Brenier and G. Boulon (Villeurbanne, France)

Optical transitions of Pr^{3+} ions in $Ca_4GdO(BO_3)_3$ crystals 214
M. Malinowski, M. Kowalska, R. Piramidowicz, T. Lukasiewicz, M. Swirkowicz and A. Majchrowski (Warsaw, Poland)

Improvement of the optical performances of Pr^{3+} in $CaTiO_3$ 218
P.T. Diallo, K. Jeanlouis, P. Boutinaud, R. Mahiou and J.C. Cousseins (Aubière, France)

Rare earth fluorosulfides LnSF and $Ln_2AF_4S_2$ as new colour pigments 223
A. Demourgues (Pessac and Aubervilliers, France), A. Tressaud, H. Laronze (Pessac, France) and P. Macaudière (Aubervilliers, France)

Growth and characterisation of $RbTiOPO_4$:Nb crystals as a host for rare earth ions 231
J.J. Carvajal, R. Solé, Jna. Gavaldà, J. Massons (Tarragona, Spain), M. Rico, C. Zaldo (Madrid, Spain), M. Aguiló and F. Díaz (Tarragona, Spain)

Luminescence of divalent europium-doped calcium carbonate and oxalate 236
W.-M. Li, T. Hänninen, M. Leskelä (Helsinki, Finland), J. Saari and A. Hase (Espoo, Finland)

Laser-induced internal cooling of Yb^{3+}-doped fluoride-based glasses 239
J. Fernández, A. Mendioroz, A.J. García, R. Balda (Bilbao, Spain) and J.L. Adam (Rennes, France)

Erbium doped glass–ceramics: concentration effect on crystal structure and energy transfer between active ions 245
M. Mortier, Ph. Goldner, C. Chateau and M. Genotelle (Meudon, France)

Optical properties of Pr^{3+}-doped lithium tetraborate glasses 250
M. Voda, R. Balda, M. Al-Saleh, I. Sáez de Ocáriz, M. Cano, G. Lobera, E. Macho and J. Fernández (Bilbao, Spain)

Upconversion processes in Nd^{3+}-doped fluoroarsenate glasses 255
R. Balda, L.M. Lacha, A. Mendioroz, M. Sanz, J. Fernández (Bilbao, Spain), J.-L. Adam (Rennes, France) and M.A. Arriandiaga (Bilbao, Spain)

Crystal field studies in Eu^{3+} doped $Bi_{12}SiO_{20}$ and $Bi_{12}SiO_{20}:V^{5+}$ single crystals 260
C. Cascales (Madrid, Spain), P. Porcher (Paris, France), J. Fernández, A. Oleaga, R. Balda (Bilbao, Spain) and E. Diéguez (Madrid, Spain)

Site-selective spectroscopy and infrared-to-visible upconversion in a Nd^{3+}-doped $Pb_5Al_3F_{19}$ crystal 267
J. Fernández, M. Sanz, A. Mendioroz, R. Balda (Bilbao, Spain), J.P. Chaminade, J. Ravez (Pessac, France), L.M. Lacha, M. Voda and M.A. Arriandiaga (Bilbao, Spain)

The up-conversion processes in Ho^{3+} doped $LiTaO_3$ 273
I. Sokólska (Wroclaw, Poland), S. Kück (Hamburg, Germany), G. Dominiak-Dzik (Wroclaw, Poland) and M. Baba (Morioka, Japan)

Preparation and optical properties of nanocrystalline and nanoporous Tb doped alumina and zinc aluminate 279
M. Zawadzki, J. Wrzyszcz, W. Strek and D. Hreniak (Wroclaw, Poland)

Upconversion-induced blue, green and red emission in Ho^{3+}:BaY_2F_8 283
E. Osiac (Hamburg, Germany and Bucharest, Romania), I. Sokólska (Hamburg, Germany and Wroclaw, Poland) and S. Kück (Hamburg, Germany)

Effect of temperature on excitation energy transfer and upconversion phenomena in Er:YVO_4 single crystals 288
S. Golab, W. Ryba-Romanowski, G. Dominiak-Dzik (Wroclaw, Poland), T. Lukasiewicz and M. Swirkowicz (Warsaw, Poland)

Absorption spectroscopy of Er:GdCOB and Yb:GdCOB crystals 292
C.S.K. Mak, P.A. Tanner and Z. Zhuo (Kowloon, Hong Kong, PR China)

New ecological pigments in the Ca–Yb–S system 297
M.D. Hernández-Alonso, A. Gómez-Herrero, A.R. Landa-Cánovas, A. Durán, F. Fernández-Martínez and L.C. Otero-Díaz (Madrid, Spain)

A spectroscopic study of K_2YF_5:Pr^{3+} 303
N. Martin, R. Mahiou, P. Boutinaud and J.C. Cousseins (Aubière, France)

EPR Identification of coupled Yb^{3+} ion pairs in optically bistable compound $CsCdBr_3$:Yb 308
V. Mehta (Paris, France and New Delhi, India), O. Guillot-Noël, D. Simons, D. Gourier (Paris, France), Ph. Goldner and F. Pellé (Meudon-Bellevue, France)

Concentration effect on the up-conversion luminescence of neodymium activated calcium gallium germanium garnet crystal . . 312
J.J. Romero, D. Jaque, J. García-Solé and U. Caldiño G. (Madrid, Spain)

Growth and 10 K spectroscopy of Nd^{3+} in $NaBi(WO_4)_2$ single crystal 315
A. Méndez-Blas, V. Volkov, C. Cascales and C. Zaldo (Madrid, Spain)

Measurement and crystal field analysis of energy levels of Ho^{3+} and Er^{3+} in $KGd(WO_4)_2$ single crystal 321
M.C. Pujol (Tarragona, Spain), C. Cascales, M. Rico (Madrid, Spain), J. Massons, F. Díaz (Tarragona, Spain), P. Porcher (Paris, France) and C. Zaldo (Madrid, Spain)

Persistent luminescence of Eu^{2+} doped alkaline earth aluminates, MAl_2O_4:Eu^{2+} 326
J. Hölsä (Turku, Finland and Paris, France), H. Jungner (Helsinki, Finland), M. Lastusaari and J. Niittykoski (Turku, Finland)

EXAFS determination of the Nd^{3+} lattice position in Nd:$LiNbO_3$: influence of lithium niobate stoichiometry and Mg^{2+} and Zn^{2+} co-doping 331
M. Vila, A. de Bernabé and C. Prieto (Madrid, Spain)

Red, green and blue light generation in fluoride glasses controlled by double excitation 336
J. Expedito C. Silva, G.F. de Sá and P.A. Santa-Cruz (Recife, Brazil)

EPR spectroscopy of Yb^{3+} in $LiNbO_3$ and Mg:$LiNbO_3$ 340
C. Bonardi, C.J. Magon, E.A. Vidoto, M.C. Terrile (São Paulo, Brazil), L.E. Bausá, E. Montoya, D. Bravo, A. Martín and F.J. López (Madrid, Spain)

Modulation of the Yb^{3+} to Er^{3+} energy transfer in $LiNbO_3$ crystals by applying magnetic field 344
E. Montoya, L. Viña (Madrid, Spain), A. Wysmolek, M. Potemski (Grenoble, France) and L.E. Bausá (Madrid, Spain)

Spectroscopy of Er^{3+} in Zn-diffused $LiNbO_3$ waveguides 348
E. Cantelar (Madrid, Spain), R.E. Di Paolo (Madrid, Spain and La Plata, Argentina), F. Cussó, R. Nevado, G. Lifante (Madrid, Spain), W. Sohler and H. Suche (Paderborn, Germany)

Pulsed, broadly tuneable, photoacoustic study of rare-earth doped $LiNbO_3$ 351
E. Cantelar (Madrid, Spain), R.E. Di Paolo (Madrid, Spain and La Plata, Argentina), J.O. Tocho (La Plata, Argentina) and F. Cussó (Madrid, Spain)

Optical spectroscopy of Nd^{3+} ions in $Gd_XY_{1-X}Al_3(BO_3)_4$ 355
J.J. Romero (Madrid, Spain), Z.D. Luo, C.Y. Tu (Fujian, China), U. Caldiño G., L.E. Bausá and J. García Solé (Madrid, Spain)

Compositional dependence of up-conversion process in Tm^{3+}–Yb^{3+} codoped oxyfluoride glasses and glass-ceramics 358
F.C. Guinhos, P.C. Nóbrega and P.A. Santa-Cruz (Recife, Brazil)

Yb sensitising of Er^{3+} up-conversion emission in $KGd(WO_4)_2$:Er:Yb single crystals 362
M. Rico (Madrid, Spain), M.C. Pujol, X. Mateos, J. Massons (Tarragona, Spain), C. Zaldo (Madrid, Spain), M. Aguiló and F. Díaz (Tarragona, Spain)

Influence of annealing on optical properties of cerium doped soda-lime–silicate glasses 367
M.A. García, J. Llopis, M.A. Villegas (Madrid, Spain) and S.E. Paje (Ciudad Real, Spain)

$(Bi,R)_2O_3$ (R: Nd, Sm and Dy) oxides as potential pigments 372
B. Gonzalvo, J. Romero, F. Fernández and M.J. Torralvo (Madrid, Spain)

A new crystalline host for lasing Ln^{3+} ions: disordered calcium–lutetium fluoride 376
A.A. Kaminskii (Moscow, Russia), D. Jaque, J.J. Romero, J. García Solé (Madrid, Spain) and A.V. Butashin (Moscow, Russia)

Magnetic Properties and Magnetic Materials

On some magnetic phase transitions in CePtSn 380
T. Khmelevska (Prague, Czech Republic), S. Chang, H. Nakotte (Las Cruces, NM, USA), P. Svoboda (Prague, Czech Republic), M.S. Torikachvili (San Diego, CA, USA) and V. Sechovský (Prague, Czech Republic)

High temperature electrical resistivity in $U_{1-x}La_xPt$ compounds 384
J. Rodríguez Fernández, J. Sánchez Marcos, J.I. Espeso, J.C. Gómez Sal (Santander, Spain) and K.A. Mc Ewen (London, UK)

Anomalous physical properties of cerium–lanthanum filled skutterudites 389
D. Ravot, U. Lafont, L. Chapon, J.C. Tedenac (Montpellier, France) and A. Mauger (Paris, France)

HoAs: a model compound for the cooling by the barocaloric effect 392
Th. Strässle, A. Furrer, F. Altorfer (Villigen, Switzerland), K. Mattenberger (Zürich, Switzerland), M. Böhm and H. Mutka (Grenoble, France)

Complex magnetic order in $EuRh_2Si_2$ 396
Z. Hossain, O. Trovarelli, C. Geibel and F. Steglich (Dresden, Germany)

Magnetic ordering within the layered terbium carbide iodide, $Tb_2C_2I_2$ 400
K. Ahn, B.J. Gibson, R.K. Kremer, Hj. Mattausch (Stuttgart, Germany), L. Keller (Villigen, Switzerland) and A. Simon (Stuttgart, Germany)

Reverse Monte Carlo study of local structural and magnetic cross-correlations in $x=1/3$ (La,Ca) manganites 404
F.J. Mompean (Madrid, Spain), A. Mellergård (Nykoping, Sweden), M. García-Hernández, D. Sánchez-Soria, A. de Andrés (Madrid, Spain), R.L. McGreevy (Nykoping, Sweden) and J.L. Martínez (Madrid, Spain)

Phase segregation and orbital ordering in $Bi_{1-x}Ca_xMnO_3$ ($x \geq 0.75$): a neutron and synchrotron X-ray diffraction study 408
J.L. García-Muñoz (Bellaterra, Spain), M.A.G. Aranda (Málaga, Spain), A. Llobet (Bellaterra, Spain and Grenoble, France), C. Frontera (Bellaterra, Spain), M.J. Martínez-Lope (Madrid, Spain), C. Ritter (Grenoble, France), M. Respaud and J.M. Broto (Toulouse, France)

$SmCo_5$/Cu particles elaboration using a supercritical fluid process 412
V. Pessey, D. Mateos, F. Weill, F. Cansell, J. Etourneau and B. Chevalier (Pessac, France)

Raman phonons and the Jahn–Teller transition in $RMnO_3$ manganites 417
L. Martín-Carrón and A. de Andrés (Madrid, Spain)

Composition and annealing dependence of magnetic properties in amorphous Tb–Co based alloys 422
M.L. Soltani, N. Chakri and M. Lahoubi (Annaba, Algeria)

Crystal structure and magnetic properties of $R_2Co_3Al_9$ compounds (R=Y, Pr, Gd, Tb, Dy, Ho, Er, Tm) 427
Ch. Routsi and J.K. Yakinthos (Xanthi, Greece)

Mixed valence state of Ce ions in $CeNi_2Al_3$ 431
M. Coldea (Cluj-Napoca, Romania), M. Neumann (Osnabrück, Germany), V. Pop (Cluj-Napoca, Romania) and M. Demeter (Osnabrück, Germany)

Magnetoresistance behaviour of the ternary stannides $CeNi_{0.86}Sn_2$ and $Ce_3Ni_2Sn_7$ 435
B. Chevalier, L. Durivault (Pessac, France), J. Rodriguez Fernandez, J.C. Gomez Sal (Santander, Spain), J.M. Barandiaran (Bilbao, Spain) and J. Etourneau (Pessac, France)

Fe doping in $La_{0.7}Sr_{0.3}MnO_3$ magnetoresistant perovskite 440
T. Hernández, F. Plazaola, T. Rojo and J.M. Barandiarán (Bilbao, Spain)

Synthesis, characterization, magnetism and transport properties of $Nd_{1-x}Sr_xCoO_3$ perovskites 444
A. Fondado (Santiago de Compostela, Spain), M.P. Breijo, C. Rey-Cabezudo, M. Sánchez-Andújar (Coruña, Spain), J. Mira, J. Rivas (Santiago de Compostela, Spain) and M.A. Señarís-Rodríguez (Coruña, Spain)

Magnetic properties of thin film GdCoRe amorphous alloys 448
J.A. González, J.P. Andrés, M.A. López de la Torre and J.M. Riveiro (Ciudad Real, Spain)

Local magnetic properties and micromagnetic structure of FeCuNbSiB amorphous microwires 451
E.E. Shalyguina (Moscow, Russia and Seoul, South Korea), K.-H. Shin (Seoul, South Korea) and L.M. Bekoeva (Moscow, Russia)

Magnetic and neutron diffraction study on ordered perovskites Sr_2LnRuO_6 (Ln=Tb, Ho) 455
Y. Doi, Y. Hinatsu (Sapporo, Japan), K.-i. Oikawa, Y. Shimojo and Y. Morii (Ibaraki, Japan)

Simulation of optical and magnetic properties of neodymium ($4f^3$) in the solid state: extreme sensitivity to the wave vector's composition 460
J. Derouet, L. Beaury and P. Porcher (Paris, France)

Structural, spin state, and magnetic transitions in $GdBaCo_2O_{5+\delta}$ ($\delta \approx 0.5$) 468
C. Frontera, J.L. García-Muñoz (Bellaterra, Spain), A. Llobet (Bellaterra, Spain and Grenoble, France), M.A.G. Aranda (Malaga, Spain), J. Rodriguez-Carvajal (Gif sur Yvette, France), M. Respaud, J.M. Broto, B. Raquet, H. Rakoto and M. Goiran (Toulouse, France)

Magnetic ordering in HoNiAl-single crystal study 472
P. Javorský (Prague, Czech Republic), H. Sugawara (Tokyo, Japan), D. Rafaja (Prague, Czech Republic), F. Bourdarot (Grenoble, France) and H. Sato (Tokyo, Japan)

Magnetic features of the $(U_{0.50}Tm_{0.50})Ni_2B_2C$ solid solution 477
A.P. Gonçalves, M. Kuznietz and M. Almeida (Sacavém, Portugal)

Dimer splitting of Er^{3+} in $Cs_3Er_2Br_9$ 481
D. Schaniel, P. Allenspach, A. Furrer (Villigen, Switzerland), K. Krämer and H.U. Güdel (Bern, Switzerland)

Study of the incommensurate–commensurate magnetic transition in $HoMnO_3$ perovskite 486
A. Muñoz, J.A. Alonso, M.T. Casais, M.J. Martínez-Lope, J.L. Martínez (Madrid, Spain) and M.T. Fernández (Grenoble, France)

Magnetic properties and electronic structures of $RCo_{2-x}Si_x$ (R=Gd, Y) compounds 490
E. Burzo, R. Tetean, Zs. Sarkozi, L. Chioncel (Cluj-Napoca, Romania) and M. Neumann (Osnabrück, Germany)

Raman phonons and light scattering in $RMnO_3$ (R=La, Pr, Nd, Ho, Er Tb and Y) orthorhombic and hexagonal manganites . . 494
L. Martín-Carrón, A. de Andrés, M.J. Martínez-Lope, M.T. Casais and J.A. Alonso (Madrid, Spain)

Structural chemistry, magnetic and electrical properties of ternary rare-earth–nickel–phosphides, $R_2Ni_7P_4$ (R=Ce, Pr, Nd) . . . 498
V. Babizhetskyy, F. Weitzer and K. Hiebl (Wien, Austria)

Magnetic coupling in amorphous bilayers and sandwiches: (RCo)/Y/(RCo)′ (R: Y, Gd) 504
L.M. Álvarez-Prado, R. Morales and J.M. Alameda (Oviedo, Spain)

Magnetic ordering and crystalline electric field splitting in $Nd_3Pd_{20}Si_6$ 509
T. Herrmannsdörfer (Villigen, Switzerland), A. Dönni (Niigata, Japan), P. Fischer, L. Keller, E. Clementyev, A. Furrer, S. Mango, B. van den Brandt (Villigen, Switzerland) and H. Kitazawa (Ibaraki, Japan)

Magnetic properties of $AgLnSe_2$ compounds (Ln=Ho, Er, Tm and Yb) 513
M. Duczmal (Wroclaw, Poland) and S. Pokrzywnicki (Opole, Poland)

Structural and magnetic properties of RFe_3P_{12} (R=Pr, Nd) studied by neutron diffraction 516
L. Keller, P. Fischer, T. Herrmannsdörfer (Villigen, Switzerland), A. Dönni (Niigata, Japan), H. Sugawara, T.D. Matsuda, K. Abe, Y. Aoki and H. Sato (Hachioji-shi, Japan)

Magnetic properties and resistivity of ternary compounds $CeNi_2X_2$ (X=Sb, As, P) 520
H. Suzuki (Ibaraki, Japan and Cédex, France), H. Abe, H. Kitazawa (Ibaraki, Japan) and D. Schmitt (Cédex, France)

Magnetic and transport properties of $La_{0.7}Cd_{0.3}(Mn_{0.9}TM_{0.1})O_3$ transition metal doped manganites 524
A. Peña, J. Gutiérrez, J.M. Barandiarán, J.L. Pizarro, L.M. Rodríguez-Martínez, M. Insausti and T. Rojo (Bilbao, Spain)

Conduction mechanisms in pure and doped polycrystalline orthorhombic manganites 527
L. Martín-Carrón (Madrid, Spain), R. Ramírez (Leganés, Spain), C. Prieto, A. de Andrés, J. Sánchez-Benítez, M. García-Hernández and J.L. Martínez (Madrid, Spain)

Magnetism of $UFe_{4-x}Al_{8+x}$ ($x=\langle -0.4, 0.4\rangle$) intermetallics 531
K. Rećko, K. Szymański, L. Dobrzyński, J. Waliszewski, M. Biernacka, D. Satula, K. Perzyńska (Białystok, Poland), W. Suski, K. Wochowski (Wrocław, Poland), A. Hoser (Berlin, Germany), G. André and F. Bourée (Gif-Sur-Yvette, France)

Ionic Conductors and Superconductors

Rare earth ion conduction in solids 534
G. Adachi, N. Imanaka and S. Tamura (Osaka, Japan)

Trivalent cation conduction in $R_{1/3}Zr_2(PO_4)_3$ (R: rare earths) with the NASICON-type structure 540
S. Tamura, N. Imanaka and G. Adachi (Osaka, Japan)

Low temperature ac conductivity in the fast ionic conductor $Li_{0.18}La_{0.61}TiO_3$ 545
A. Rivera (Madrid, Spain), A. Várez (Leganés, Spain), J. Sanz, J. Santamaría and C. León (Madrid, Spain)

4f-levels in rare earth cuprates. Crystal field and exchange interaction 549
V. Nekvasil (Prague, Czech Republic), S. Jandl (Québec, Canada), M. Cardona (Stuttgart, Germany), M. Diviš (Prague, Czech Republic) and A.A. Nugroho (Amsterdam, The Netherlands and Bandung, Indonesia)

A neutron crystal-field study of the copper isotope effect on the pseudogap in the high-T_c cuprate $HoBa_2Cu_4O_8$ 554
D. Rubio Temprano, J. Mesot, S. Janssen, K. Conder, A. Furrer (Villigen, Switzerland), A. Sokolov, V. Trounov (Gatchina, Russia), S. Kazakov, J. Karpinski and K.A. Müller (Zurich, Switzerland)

High-resolution and energy-filtered transmission electron microscopy of $YBa_2Cu_3O_{7-x}/PrBa_2Cu_3O_7$ superlattices 558
M. Varela, C. Ballesteros (Madrid, Spain), W. Grogger, K.M. Krishnan (Berkeley, CA, USA), D. Arias, Z. Sefrioui, C. León and J. Santamaría (Madrid, Spain)

Coexistence of superconductivity and magnetism in $Y_{1-x}Dy_xNi_2B_2C$ single crystals 562
Z. Drzazga (Katowice, Poland), D. Kaczorowski (Wroclaw, Poland), A. Winiarska and A. Winiarski (Katowice, Poland)

Semi-empirical and ab-initio calculations of the crystal field interaction in rare earth cuprates 567
M. Diviš and V. Nekvasil (Praha, Czech Republic)

Effect of anisotropy on the vortex liquid dissipation in $YBa_2Cu_3O_{7-\delta}$ thin films 572
Z. Sefrioui, D. Arias, M. Varela, C. León and J. Santamaría (Madrid, Spain)

Chain oxygen disorder in deoxygenated $YBa_2Cu_3O_{7-\delta}$ thin films induced by light ion irradiation 576
D. Arias, Z. Sefrioui, M. Varela, G.D. Loos, C. León and J. Santamaría (Madrid, Spain)

Oxygen content influence in the superconducting and electronic properties of $Nd_{1.85}Ce_{0.15}Cu_{1.01}O_y$ ceramics 580
E. Navarro, D. Jaque, J.E. Villegas, J.I. Martín (Madrid, Spain), A. Serquis, F. Prado, A. Caneiro (S.C. de Bariloche, Argentina) and J.L. Vicent (Madrid, Spain)

Catalysis

Some recent developments in the characterization of ceria-based catalysts 584
A. Trovarelli, M. Boaro, E. Rocchini, C. de Leitenburg and G. Dolcetti (Udine, Italy)

Organolanthanides, catalysts for specific olefin-diene copolymerization: access to new materials 592
D. Barbier-Baudry, F. Bonnet, A. Dormond (Dijon, France), A. Hafid, A. Nyassi (El Jadida, Maroc) and M. Visseaux (Dijon, France)

NH_3 adsorption over lanthanide doped V_2O_5/Al_2O_3 catalysts 597
M.A. Centeno, I. Carrizosa and J.A. Odriozola (Sevilla, Spain)

Catalytic transfer hydrogenation of butene on hydrogen-absorbing alloys ($LaNi_5$, $CaNi_5$ and $LaNi_4Al$) 601
H. Imamura, Y. Noda, Y. Sakata and S. Tsuchiya (Ube, Japan)

Surface properties of $CeZrO_4$-based materials employed as catalysts supports 605
A. Martínez-Arias, M. Fernández-García, A.B. Hungría, J.C. Conesa and J. Soria (Madrid, Spain)

Selective isoprene hydrogenation over LnNi (Ln=Pr, Gd, Tm) intermetallic compounds 610
J.B. Branco, T. Almeida Gasche, A.P. Gonçalves and A. Pires de Matos (Sacavém, Portugal)

Electronic Properties

An estimation of the ionization potentials of actinides from a simple dependence of the aqueous standard potentials on the ionization potentials of elements including lanthanides 614
R. Heyrovska (Prague, Czech Republic)

Structural and electronic characterization of $Nd_{1.33}Na_{0.66}Mn_{0.66}Ti_{1.34}O_6$ 618
P. Martín, M.L. López, A.I. Ruiz, M.L. Veiga and C. Pico (Madrid, Spain)

De Haas-van Alphen effect in $LuAl_3$ 623
I. Sakamoto, G.F. Chen, S. Ohara (Nagoya, Japan), H. Harima (Osaka, Japan) and S. Maruno (Nagoya, Japan)

Phase transitions in cerium by pseudopotential methods . . . 628
N. Richard and S. Bernard (Bruyères-le-Châtel, France)

Effect of pressure on transport properties of mixed-valence compound $YbAl_3$ . . . 632
S. Ohara, G.F. Chen and I. Sakamoto (Nagoya, Japan)

Comparison between correlation crystal field calculations using extended basis sets and two-electron operators . . . 636
M.J. Lee, M.F. Reid (Christchurch, New Zealand), M.D. Faucher (Malbry, France) and G.W. Burdick (Berrien Springs, MI, USA)

A non-Euclidean crystal field for f electrons . . . 640
B.R. Judd and E. Lo (Baltimore, MD, USA)

Judd–Ofelt theory in a new light on its (almost) 40th anniversary . . . 645
L. Smentek (Toruń, Poland and Nashville, TN, USA), B.G. Wybourne (Toruń, Poland) and B.A. Hess Jr. (Nashville, TN, USA)

Spectroscopies

New excitement with crystal-field excitations . . . 649
A. Furrer, T. Strässle and D. Rubio Temprano (Villigen, Switzerland)

Experimental and theoretical study of ligand field, 4f–4f intensities and emission quantum yield in the compound $Eu(bpyO_2)_4(ClO_4)_3$ . . . 654
O.L. Malta (Recife, Brazil), J. Legendziewicz, E. Huskowska, I. Turowska-Tyrk (Wrocław, Poland), R.Q. Albuquerque, C. de Mello Donegá and F.R.G. e Silva (Recife, Brazil)

Spectra and details of the structure of europium acetates with derivatives of 1,10-phenanthroline . . . 661
V. Tsaryuk (Moscow, Russia), J. Legendziewicz (Wrocław, Poland), V. Zolin (Moscow, Russia), J. Sokolnicki, R. Szostak (Wrocław, Poland) and L. Puntus (Moscow, Russia)

The blue phosphor Sr_2CeO_4 synthesized by Pechini's method . . . 667
O.A. Serra, V.P. Severino, P.S. Calefi and S.A. Cicillini (Ribeirão Preto, Brazil)

Energy transfer in the chemiluminescent system: Eu(II)/(III)–N_3^-–H_2O_2 . . . 670
M. Elbanowski, K. Staninski, M. Kaczmarek and S. Lis (Poznan, Poland)

Optical and dielectric properties of borophosphates $A_{1-x}Eu_xBPO_5$ (A=Ca, Sr, Ba and Pb) . . . 673
A. Ben ali, M. Taibi, J. Aride, A. Boukhari (Rabat, Morocco), E. Antic-Fidancev, B. Viana and P. Aschehoug (Paris, France)

Absorption spectrum analysis of uranium trichloride heptahydrate . . . 678
M. Karbowiak, J. Drożdżyński and Z. Gajek (Wrocław, Poland)

Influence of complex formation on the electronic structure of uranyl . . . 683
S. De Houwer and C. Görller-Walrand (Leuven, Belgium)

Femtosecond relaxation in Ce^{3+} ions in $LiCaAlF_6$ and $LiSrAlF_6$ . . . 688
T. Tsuboi (Kyoto, Japan), V. Petrov, F. Noack (Berlin, Germany) and K. Shimamura (Miyagi, Japan)

EPR and optical spectroscopy of SrF_2 doped with Yb^{3+} . . . 692
M.L. Falin, K.I. Gerasimov, A.M. Leushin (Kazan, Russia), H. Bill, D. Lovy (Geneva, Switzerland) and T. Sanadze (Tbilisi, Georgia)

Spectroscopy of defect centers in $LaGaO_3$ crystals . . . 696
A. Durygin (Warsaw, Poland), A. Suchocki (Warsaw, Poland and Madrid, Spain), L. Arizmendi (Madrid, Spain) and M. Berkowski (Warsaw, Poland)

Interface formation in the Gd/HOPG and Dy/HOPG systems. Electron spectroscopy studies . . . 701
S.I. Bozhko, A.N. Chaika, A.M. Ionov (Moscow, Russia) and U. Valbusa (Genoa, Italy)

Infrared spectra of Nd_2BaPdO_5 and Nd_2BaPtO_5 . . . 707
E.J. Baran (La Plata, Argentina) and A.E. Lavat (Olavarría, Argentina)

IR characterization of $Ln_{2-x}Sr_xCoO_4$ ($x \geq 1$; Ln=La, Nd) oxides . . . 710
S. Castro-García, M. Sánchez-Andújar, C. Rey-Cabezudo, M.A. Señarís-Rodríguez (Coruña, Spain) and C. Julien (Paris, France)

$Bi_4Ge_3O_{12}:Nd^{3+}$ and $Bi_{12}SiO_{20}:Nd^{3+}$. A comparative spectroscopic study . . . 714
J. Hernández A., E. Camarillo (México City, Mexico), H. Loro (Lima, Peru) and H. Murrieta S. (México City, Mexico)

Vibronic oscillator strengths of Tm^{3+} in $Cs_2NaTmCl_6$ . . . 718
P.A. Tanner (Hong Kong, PR China), R. Acevedo, O. Hurtado and T. Meruane (Santiago, Chile)

Efficient $4f^3(^4F_{3/2})\rightarrow 4f^2 5d$ excited-state absorption in Nd^{3+} doped fluoride crystals 722
Y. Guyot, S. Guy and M.F. Joubert (Villeurbanne, France)

Parametrization of f^N–f^N electric dipole transitions in point-group bases 726
C.K. Duan (Christchurch, New Zealand) and M.F. Reid (Chongqing, PR China)

Room temperature photon avalanche in Ho^{3+} doped YAG, YAP, YLF and ZBLAN 731
M. Malinowski, A. Wnuk, Z. Frukacz (Warsaw, Poland), G. Chadeyron, R. Mahiou (Aubiere, France), S. Guy and M.F. Joubert (Villeurbanne, France)

Infra-red-to-visible wavelength upconversion in Sm^{3+}-activated YAG crystals 736
M. Kaczkan, Z. Frukacz and M. Malinowski (Warsaw, Poland)

Effects of dispersion by Gd^{3+} upon europium diphenylphosphinate luminescence 740
S.L. Scarpari and E.B. Stucchi (Araraquara, Brazil)

Spectroscopic and magnetic investigation of one sandwich-type uranium(IV)–polyoxometalate with Ge(IV) as heteroatom . . . 743
C. Craciun and L. David (Cluj-Napoca, Romania)

Upconversion luminescence of Er^{3+}-doped YSZ single crystals 748
B. Savoini, J.E. Muñoz-Santiuste, R. González (Madrid, Spain), G.K. Cruz (Ponta Grossa, Brazil), C. Bonardi and R.A. Carvalho (São Carlos, Brazil)

Optical properties of Er^{3+} ions in transparent glass ceramics 753
J. Méndez-Ramos, V. Lavín, I.R. Martín, U.R. Rodríguez-Mendoza, J.A. González-Almeida, V.D. Rodríguez, A.D. Lozano-Gorrín and P. Núñez (Tenerife, Canary Islands, Spain)

Cr^{3+}–Tm^{3+} energy transfer in alkali silicate glasses 759
U.R. Rodríguez-Mendoza, V.D. Rodríguez, I.R. Martín, V. Lavín, J. Méndez-Ramos and P. Núñez (Tenerife, Canary Islands, Spain)

Stark level structure and oscillator strengths of Nd^{3+} ion in different fluoride single crystals 763
I.R. Martín (Tenerife, Spain), Y. Guyot, M.F. Joubert (Villeurbanne, France), R.Yu. Abdulsabirov, S.L. Korableva and V.V. Semashko (Kazan, Russia)

Pr^{3+} Centers in YSZ single crystals 768
J.E. Muñoz-Santiuste, B. Savoini and R. González (Madrid, Spain)

Energy transfer between Eu^{3+} ions in sol–gel derived silica glasses 773
I.R. Martín, J. Méndez-Ramos, F. Delgado, V. Lavín, U.R. Rodríguez-Mendoza, V.D. Rodríguez and A.C. Yanes (Tenerife, Canary Islands, Spain)

Electric-dipole $4f^N$–$4f^N$ transition intensity parametrizations for lanthanides: an examination of multiple local minima 778
G.W. Burdick, R.D. Robertson and R.L. Summerscales (Berrien Springs, MI, USA)

Optical spectrum, crystal field analysis of Pr^{3+} in YPO_4 783
O.K. Moune, M.D. Faucher (Châtenay-Malabry, France) and N. Edelstein (Berkeley, CA, USA)

Magnetic field effect in the luminescence of Er^{3+} ion in $(Er_{0.05}Y_{0.95})_2BaZnO_5$ 788
G.K. Cruz (Ponta Grossa, Brazil), C. Bonardi, M.R. Zucchi and R.A. Carvalho (São Carlos, Brazil)

Correlation between spectroscopic characteristics and structure of lanthanide phosphoro-azo derivatives of β-diketones 792
J. Legendziewicz, G. Oczko, R. Wiglusz (Wroclaw, Poland) and V. Amirkhanov (Kiev, Ukraine)

Vibrational spectra of double diphosphates $CsLnP_2O_7$ (Ln=Gd, Tb, Dy, Ho, Y, Er, Tm, Yb) 800
N. Khay and A. Ennaciri (Kenitra, Morocco)

Photoluminescence and up-conversion of Er^{3+} in tetragonal $NaBi(XO_4)_2$, X=Mo or W, scheelites 806
M. Rico, V. Volkov and C. Zaldo (Madrid, Spain)

Simulation of the Gd^{3+} energy level scheme in GdOCl 811
J. Hölsä (Turku, Finland and Paris, France), R.-J. Lamminmäki, M. Lastusaari (Turku, Finland) and P. Porcher (Paris, France)

V.U.V absorption coefficient measurements of borate matrices 816
B. Moine, J. Mugnier (Villeurbanne, France), D. Boyer, R. Mahiou (Aubière, France), S. Schamm and G. Zanchi (Toulouse, France)

Biomedical Applications, Geology and Environment

Lanthanide complexes dispersed in enamel: a promising new material for photonic devices 820
C.G. Gameiro, E.F. da Silva Jr., S. Alves Jr., G.F. de Sá and P.A. Santa-Cruz (Pernambuco, Brazil)

Comparison of different methods for structural analysis of lanthanide-induced NMR shifts: a case of lanthanide(III) cryptates . 824
C.F.G.C. Geraldes (Coimbra, Portugal), S. Zhang (Richardson, TX, USA), C. Platas, T. Rodríguez-Blas, A. de Blas (Coruña, Spain) and A.D. Sherry (Richardson, TX and Dallas, TX, USA)

Interaction of $[Ln(DO2A)(H_2O)_{2-3}]^+$ and $[Ln(DO2P)(H_2O)_{2-3}]^-$ with phosphate, acetate and fluoride anions in aqueous solution 828
K. Kimpe, W. D'Olieslager, C. Görller-Walrand (Leuven, Belgium), A. Figueirinha (Coimbra, Portugal), Z. Kovács (Richardson, TX, USA) and C.F.G.C. Geraldes (Coimbra, Portugal)

Extraction of scandium from ion-adsorptive rare earth deposit by naphthenic acid 833
C. Liao, J. Jia, Y. Zhang, G. Xu, C. Yan, B. Li and G. Xu (Beijing, China)

Recovery of uranium from the filtrate of 'ammonium diuranate' prepared from uranium hexafluoride 838
J.A. Seneda, F.F. Figueiredo, A. Abrão, F.M.S. Carvalho and E.U.C. Frajndlich (São Paulo, Brazil)

Laser-induced time-resolved luminescence as a means for discrimination of oxidation states of Eu in minerals 842
M. Gaft (Tel-Aviv, Israel), R. Reisfeld (Jerusalem, Israel), G. Panczer (Villeurbanne, France), O. Ioffe and I. Sigal (Jerusalem, Israel)

Solar ultraviolet-B detectors using Eu^{2+} doped alkali halide crystals 847
C. Cordoba-Jabonero, I. Aguirre de Carcer (Madrid, Spain), M. Barboza-Flores (Hermosillo, Mexico) and F. Jaque (Madrid, Spain)

Optical characterisation of rare earths in natural fluorapatite 851
E. Cantelar, G. Lifante, T. Calderón (Madrid, Spain), R. Meléndrez (Hermosillo, Mexico), A. Millán (Madrid, Spain), M.A. Alvarez (Sevilla, Spain) and M. Barboza-Flores (Hermosillo, Mexico)

$CeCl_3$ and $LaCl_3$ binary solutions as environment-friendly corrosion inhibitors of AA5083 Al–Mg alloy in NaCl solutions . . 855
A. Aballe, M. Bethencourt, F.J. Botana and M. Marcos (Cádiz, Spain)

Raman spectroscopic determination of formation constant of uranyl hydrolysis species $(UO_2)_2(OH)_2^{2+}$ 859
T. Fujii (Osaka, Japan), K. Fujiwara (Kyoto, Japan), H. Yamana and H. Moriyama (Osaka, Japan)

Author Index of Volumes 323–324 865

Subject Index of Volumes 323–324 869

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.com/locate/contentsdirect**